

CRASTER LIMITED SUITE 218 GREAT WESTERN STUDIOS 65 ALFRED ROAD LONDON W2 5EU

Test Report No. BAN 331866/1 Issue Date: 28 February 2025

Attn: Helena Collins

UNITED KINGDOM

The following sample was submitted and identified by the client as:

Sample Name: Tilt Walnut Tongs

**Sample Description:** for picking up food as part of buffet

Sample Reference: BU\_TG001- Walnut

**Date of Receipt:** 13 February 2025

**Testing Period:** Testing conducted between 21st February 2025 and 28th February 2025.

(Please note that this testing was conducted at another laboratory within the SGS group of companies)

**Test Method and** 

Results:

See appendix

Selected test(s) as requested by the client, please refer to test result page(s) for details:

Test	Conclusion	
1.	Article 3 of European Regulation No. 1935/2004.	
	a) Sensorial Examination - Odour and Taste Test	PASS
	b) Wood – Pentachlorophenol (PCP) Content	PASS
	c) Wood – Arsenic Content	PASS
	d) Wood – Pesticide Content	PASS

\*\*\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*\*\*

Signed for and on behalf of SGS United Kingdom Ltd.

Tracy Lai

**Chemical Laboratory Manager** 

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."



## **Appendix**

#### **Test Results:**

## 1. Article 3 of European Regulation No. 1935/2004.

a) Sensorial Examination - Odour and Taste Test

Method: With reference to DIN 10955:2024-01.

Test Condition : 40°C for 0.5 hour

Test Media : Biscuit No. of Panelist : 6

Test Item	Result 1	Permissible Limit
Sensorial examination odour (Intensity scale)	0	< 3
Sensorial examination taste (Intensity scale)	0	< 3
Comment	PASS	

#### Specimen Description:

1. Whole sample

Note: 1. <= less than

2. °C = degree Celsius

3. Intensity scale (rounded at 0.5):

0 – no perceptible difference

1 – just perceptible difference

2 – slight difference

3 - marked difference

4 – strong difference

The decision rule has prescribed in the regulation or standard, conformity reporting will base on the standard

b) Wood – Pentachlorophenol (PCP) content

Method: With reference to ISO 17070: 2015.

Test Item	Unit	Result	Reporting	Reference Limit
restitem	Offic	1	Limit	
PCP Content	mg/kg	ND	0.05	5
Comment	_	PASS		

# Specimen Description:

1. Deep brown wood (Tong)

Note: 1. mg/kg = milligram per kilogram

ND = Not Detected (Lower than reporting limit)

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS United Kingdom Ltd

Units 41 & 43, The Listerhills Park of Science and Commerce, Campus Road, Bradford BD7 1HR Tel +44 (0)1274 303080 Fax +44 (0)1274 303098

Registered in England No. 1193985 Rossmore Business Park, Ellesmere Port, Cheshire CH65 3EN www.sgs.com



#### c) Wood - Arsenic content

Method : Acid digestion followed by analysis using Inductively Coupled Argon Plasma Spectrometry (ICP).

Test Item	Unit	Result	Reporting	Requirement
rest item	Offic	1	Limit	
Arsenic content	mg/kg	ND	2	Absent
Comment		PASS		

### Specimen Description:

1. Deep brown wood (Tong)

Note: 1. mg/kg = milligram per kilogram

ND = Not Detected (Lower than reporting limit)

d) Wood - Pesticides content

Method : With reference to US EPA Method 8081B, 3620B, 3630C. Analysis was performed by GC-MS,

GC-ECD, GC-NPD & HPLC-DAD-MSD.

Test Item	Unit	Result	Reference Limit
restitem		1	Reference Limit
Pesticides	mg/kg	ND	Absent
Comment		PASS	

### **Specimen Description:**

Deep brown wood (Tong)

Note: 1. mg/kg = milligram per kilogram

2. ND = Not Detected (Lower than reporting limit)

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."

BAN 331866 / 1



# List of Pesticides with Reporting Limits:

		Reporting			Reporting
<u>Pesticide</u>	CAS No	Limit	<u>Pesticide</u>	CAS No	Limit
		<u>(mg/kg)</u>			<u>(mg/kg)</u>
Azinophosmethyl	86-50-0	0.05	Hexachlorobenzene	118-74-1	0.05
Azinophosethyl	2642-71-9	0.05	a-Hexachlorcyclohexane	319-84-6	0.05
Aldrine	309-00-2	0.05	ß-Hexachlorcyclohexane	319-85-7	0.05
Bromophos-ethyl	4824-78-6	0.05	δ-Hexachlorcyclohexane	319-86-8	0.05
Carbaryl	63-25-2	0.2	Lindane (g-HCH)	58-89-9	0.05
Chlordane	57-74-9	0.2	Malathion	121-75-5	0.2
Chlordimeform	6164-98-3	0.5	Metamidophos	10265-92-6	0.2
Coumaphos	56-72-4	0.05	Methoxychlor	72-43-5	0.05
Cyfluthrin	68359-37-5	0.2	Mirex	2385-85-5	0.05
Cyhalothrin	91465-08-6	0.05	Monocrotophos	6923-22-4	0.2
Cypermethrin	52315-07-8	0.05	Parathion	56-38-2	0.05
DEF	78-48-8	0.2	Parathion-methyl	298-00-0	0.2
Deltamethrin	52918-63-5	0.05	Propethamphos	31218-83-4	0.5
2,4'-DDD	53-19-0	0.05	Profenophos	41198-08-7	0.05
4,4'-DDD	72-54-8	0.05	Quinalphos	13593-03-8	0.2
2,4'-DDE	3424-82-6	0.05	Toxaphen (Camphechlor)	8001-35-2	0.2
4,4'-DDE	72-55-9	0.05	Trifluralin	1582-09-8	0.2
4,4'-DDT	50-29-3	0.05	2,4,5-T	93-76-5	0.5
2,4'-DDT	789-02-6	0.05	2,4-D	94-75-7	0.5
Diazinon	333-41-5	0.2	Captafol	2425-06-1	0.05
Dicrotophos	141-66-2	0.2	Chlorfenvinphos	470-90-6	0.05
Dieldrine	60-57-1	0.05	Dichlorprop	120-36-2	0.5
Dimethoate	60-51-5	0.05	Dinoseb and salts	88-85-7	0.5
a-Endosulfan	959-98-8	0.05	MCPA	94-74-6	0.5
ß-Endosulfan	33213-65-9	0.05	МСРВ	94-81-5	0.5
Endrine	72-20-8	0.05	Mecoprop	93-65-2	0.5
Esfenvalerat	66230-04-4	0.05	Phosdrin / Mevinphos	7786-34-7	0.5
Fenvalerate	51630-58-1	0.05	Perthane	72-56-0	0.2
Heptachlor	76-44-8	0.05	Strobane	8001-50-1	0.2
Heptachlorepoxide	1024-57-3	0.05	Telodrine	297-78-9	0.2
Isodrine	465-73-6	0.2	TeCP	935-95-5	0.05
Kelevane	4234-79-1	0.2			
Kepone	143-50-0	0.2			

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."



#### Remark:

When statement of conformity is made, unless inherent in the requested specification, the decision rule would be based on the non-binary statement with guard band (is equal to the expanded measurement uncertainty with a 95% coverage probability,  $w = U_{95}$ ) in ILAC-G8:09/2019 Clause 4.2.3.

"Pass - the measured value is within (or below / above) the acceptance limit, where the acceptance limit is below / above to the guard band." or "Pass - The measured values were observed in tolerance at the points tested. The specific false accept risk is up to 2.5%.".

"Fail - the measured value is out of (or below / above) the tolerance limit added / subtracted to the guard band." or "Fail - One or more measured values were observed out of tolerance at the points tested". The specific false reject risk is up to 2.5%.

"Inconclusive – It is not possible to state the conformity. Either one or more measured values were observed in the portion of the expanded measurement uncertainty intervals at the points tested where the specific risk is up to 50%."

### **Sample Photo:**



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service, available on request or accessible at <a href="www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law."